



NATIONAL ELECTRONIC DISEASE SURVEILLANCE SYSTEM (NEDSS)

NPP STD PAM

STD DEMO SCRIPT

<CM ID> Version R00C02 Draft

09/06/2006

REVISION HISTORY

Date	Version	Description	Author
08/28/2006	R00C01	Initial Draft	Larry Rimmer
9/6/2006	R00C02	Updated with more scenarios	Larry Rimmer
9/11/06	R00C03	Updated with CDC feedback	Larry Rimmer

STD Demo Script	Draft
<cm id=""> Version: R00C02</cm>	

TABLE OF CONTENTS

1	CREATE INVESTI	FATION FROM LAB	RESULT SCENARIO) 1
---	----------------	-----------------	-----------------	-----


Revision Date: 09/06/2006 Page iii


1 CREATE INVESTIGATION FROM LAB RESULT SCENARIO

Revision Date: 09/06/2006


1.	Close Explorer and double click the newly created
	folder icon on your desktop called
	"09012006Prototype".









4. Ignore the warning toolbar at the top of the page – there are no scripts being run that are a threat to your computer. The NPP Demo pages were copied from the current NPP pages that use scripting in order to support their functionality – they do not work in this demo.




Page 6





6. This will bring up the patient in an editable view (in the current NPP you will click on the 'edit' option, but in order to save time we are re-using the same search window). This includes all of the fields that are currently in the Varicella PAM – most will be the same for the STD PAM but with a few changes. The tabs for the Patient view in this prototype are not functional and will generate an error. Click on Investigations to view a list of the current investigations for this patient.






8. This is the interface used in NPP to create an STD investigation. Notice that the patient's information at the top is already displayed. Also note that the Lot number and patient IDs are automatically generated by the system. We are going to go through a case that is started by entering a new lab report.







10. This will bring up the list of lab reports currently NEDSS: Lab Report - Microsoft Internet Explorer associated to the patient. NPP associates all lab Ele Edit View Favorites Tools Help G Back + O - X 2 6 Pavorites Pavorit reports to a patient and allows the user to associate address 🐔 C: 'Documents and Settings' (evo 0 | Desktop | 09012006 Prototype | LabReportList.htm Go Links lab reports to investiations as necessary. This 🔞 To help protect your security, Internet Explorer has restricted this file from showing active content that could access your computer. Click here for options... Logged in as: User, Root | Program Area: STD | Log Off | Help enables programs to store lab results that may not Home | Create | Reports | System Admin | Search warrant a full investigation. We are creating a syphilis investigation and have two lab reports to Name: Pender, William Sex: Male SSN: DOB: 05/26/1973 Next Test Due Date: 06/08/2006 enter, so will need to create two new lab results. Test ID Version No. Test Name Date Sample Collected Disease Result Units Test Reason Jurisdiction Date Last Updated 100-Chanchroid 1 ug/dL Root Jurisdiction 7/4/2005 Select Create Lab Report to continue. Non-Report 7/2/2005 Create Lab Report Cancel


11. The interface for entering a lab result is displayed.
All of this interface is non-functional but gives you an idea of how the system associates providers, laboratories, and ordering medical groups to a lab result.









14. The lab result is added to the patient's investigation. Notice also under Investigation Summary that the Disease Condition and Referral Basis are now saved and displayed.




15. NPP allows you to associate multiple lab results to an investigation. Select 'Associate Lab Result' again to add another lab result to this investigation.




16. Select Create Lab Report again to enter the new lab result. This will be an MHA-TP result.





17. As before, enter the lab result information (nothing is actually stored, so you can just save the result without entering anything) and select Save Lab Report.







19. The lab result is now associated to the patient's investigation.










22. This brings up the interface to add a new exam. NPP provides the ability to create and store providers. Select 'Search Providers' to add the provider who performed the exam to the Exam History.








25. The exam is now added to the investigation. Note that the NPP will allow you to add additional exams as the investigation proceeds.







27. This will display the information needed to be entered for a field investigation.


This view includes information not already entered that would appear on the Field Record form, such as the field record number, the date the investigation was assigned to the field, the field worker assigned, and so on. This is also where the patient's source/spread status will be selected.


By selecting the Print option (not available in this demo) the user will be able to print the Field Record for the case – it will include all information appropriate for a field record, not just the information displayed on this screen.






29. The Interview Record tab includes an area for generic interview results, an area to enter each interview instance, where a patient met partners and had sex, the number of sex partners, risk factors, and the patient's travel history.








31. This brings up the Interview Record screen where details of an interview instance can be entered. Clicking on Save Interview returns the user to the investigation with the interview entered. Clicking on Enter Partners and Clusters takes the user directly to the interface to enter partners and clusters.

Click Save Interview to continue.












35. The Treatment tab provides a location for the user to enter the treatments for the current disease as well as a place to document whether or not the patient has received any counseling for this disease. The NPP also has the ability to display all treatments for a patient regardless of disease – this is displayed as above in the Patient view. Select Partners/Clusters/Marginals to continue.




36. Now we will add a partner to the investigation. This will lead into the next scenario, which continues an investigation automatically created when a partner (or cluster) is added to an investigation.

Select Search Patients to search for Jessica Smith, who was named as a partner during William Pender's interview.








39. Once saved, the association appears in the Partners/Clusters section.

Marginals are created when an investigation is closed as a 'Marginal Partner.' If a patient is closed as a marginal, then all investigations to which that patient is associated will display the patient as a marginal partner or cluster – assuming they are associated to a referring patient.



STD Demo Script <CM ID> Version: R00C02

Draft

Revision Date: 09/06/2006